

# A Review on Early Detection and Progression Prediction of Diabetic Retinopathy using Multimodal Analysis

Swati Kiran Rajput, PhD  
Assistant Professor  
PCCOER, Ravet

Prachi Karale  
Assistant Professor  
D. Y. Patil Pimpri

## ABSTRACT

Diabetic Retinopathy (DR), a major complication of diabetes mellitus, is a leading cause of vision impairment and blindness in the working-age population globally. The intricate nature of DR, characterized by gradual retinal damage due to prolonged high blood sugar levels, makes its early detection and management critical. However, the current landscape of DR diagnosis and management faces significant challenges, primarily stemming from the limitations in existing diagnostic methods and the lack of comprehensive patient data integration. This work addresses these challenges by proposing a novel approach that leverages multimodal data fusion, utilizing machine learning (ML), deep learning (DL), and artificial intelligence (AI) techniques, aiming to enhance the accuracy, pre-emption, and clinical management of DR.

## Keywords

Diabetic Retinopathy, Deep Learning, Fundus images, OCT scans

## 1. INTRODUCTION

The prevalence of diabetes and its complications, including DR, is on a rising trajectory, making it a significant public health concern. The early stages of DR often exhibit no symptoms, and when left undetected or untreated, it can progress to more severe stages, leading to vision loss. The traditional methods for DR screening and diagnosis, predominantly relying on fundus photography, have limitations in terms of sensitivity, especially in the early stages of the disease. Moreover, these methods do not consider other potential risk factors captured in various patient data modalities, such as blood reports and historical health records, which can provide valuable insights into the patient's overall health status and the progression of DR.

Recognizing these gaps, this work introduces a comprehensive framework that integrates multiple data modalities to enhance the detection and management of DR. The proposed model synergizes data from fundus images, advanced eye scans (like OCT and Angiography), blood analysis reports, patient demographics, and historical health records. This integration is achieved through advanced ML and DL techniques, which not only improve the classification accuracy of DR stages but also enable the pre-emption of disease progression through predictive analytics.

The Introduction of this multimodal approach is a significant leap forward in DR management. By encompassing a broader spectrum of patient data, the model facilitates a more nuanced understanding of DR, transcending the constraints of single-modality analyses. This holistic view allows for the early detection of DR, even in asymptomatic stages, and aids in predicting the disease trajectory, thus opening avenues for timely and personalized intervention strategies.

Moreover, this work extends beyond clinical diagnostics to encompass AI-driven clinical and non-clinical recommendations. By analyzing the integrated data, the model generates personalized treatment plans and lifestyle modification suggestions tailored to the individual patient's condition and risk profile. This approach not only enhances the efficacy of DR management but also fosters patient engagement and adherence to treatment regimens.

The introduction section of this work sets the stage for a detailed exploration of the proposed multimodal fusion model, its implementation, and its potential to revolutionize DR detection and management. Through this work, we aim to contribute significantly to the field of diabetic care, offering new perspectives and tools for healthcare professionals in combating one of the most challenging complications of diabetes.

## 2. REVIEW OF LITURATURE

The field of Diabetic Retinopathy (DR) analysis has seen significant advancements through the integration of various computational approaches and imaging techniques. This literature review synthesizes key contributions from recent research, emphasizing the development and application of various models in DR detection and classification.

Table I Review of Literature

Reference	Method Used	Findings	Limitations
[1] Automatic Diagnosis of Different Grades of Diabetic Retinopathy and Diabetic Macular Edema Using 2-D-FBSE-FAWT	2-D-FBSE-FAWT, IoT, Deep Learning	Automated diagnosis for various DR grades using advanced imaging. Integration of IoT for efficient healthcare.	Limited explanation of IoT integration impact.
[2] Internet of Things and Deep Learning Enabled Diabetic Retinopathy Diagnosis Using Retinal Fundus Images	IoT, Deep Learning	DR diagnosis with retinal fundus images using IoT. Potential of IoT in medical imaging.	Limited discussion on IoT implementation challenges.
[3] Deep Learning Techniques for Diabetic	Deep Learning	Survey of deep learning	Does not provide specific

Retinopathy Classification: A Survey		techniques in DR classification.	findings but summarizes techniques.
[4] Explainable Diabetic Retinopathy Detection and Retinal Image Generation	Deep Learning	Emphasis on explainable DR detection in AI models.	No direct findings but highlights the importance of interpretability.
[5] RTNet: Relation Transformer Network for Diabetic Retinopathy Multi-Lesion Segmentation	RTNet, Deep Learning	Introduction of RTNet for multi-lesion segmentation in DR.	Limited discussion on real-world applicability.
[6] Optimizing Deep Learning Model Parameters Using Socially Implemented IoMT Systems for Diabetic Retinopathy Classification Problem	Socially Implemented IoMT, Deep Learning	Optimization of model parameters using IoMT systems.	Lack of detailed performance improvements.
[7] Robust Collaborative Learning of Patch-Level and Image-Level Annotations for Diabetic Retinopathy Grading From Fundus Image	Collaborative Learning, Deep Learning	Robust collaborative learning for enhanced DR severity classification.	Limited discussion on scalability.
[8] Multi-Stream Deep Neural Network for Diabetic Retinopathy Severity Classification Under a Boosting Framework	Multi-stream Deep Neural Networks, Deep Learning	Enhanced DR severity classification using multi-stream networks.	Doesn't address specific limitations.
[9] Vision Transformer Model for Predicting the Severity of Diabetic Retinopathy in Fundus Photography-Based Retina Images	Vision Transformer, Deep Learning	Implementation of Vision Transformer for predicting DR severity.	Limited discussion on comparative performance.
[10] DR-GAN: Conditional Generative Adversarial Network for Fine-Grained Lesion Synthesis on Diabetic	DR-GAN, Generative Adversarial Networks	Introduction of DR-GAN for fine-grained lesion synthesis.	Limited discussion on practical applications.

Retinopathy Images			
[11] Segmentation Using the IC2T Model and Classification of Diabetic Retinopathy Using the Rock Hyrax Swarm-Based Coordination Attention Mechanism	IC2T Models, Image Segmentation	Exploration of image segmentation using IC2T models for DR.	Lack of discussion on model complexities.
[12] A Faster RCNN-Based Diabetic Retinopathy Detection Method Using Fused Features From Retina Images	Faster RCNN, Image Segmentation	DR detection with Faster RCNN-based image segmentation.	Limited discussion on real-world applications.
[13] Grading of Diabetic Retinopathy Images Based on Graph Neural Network	Graph Neural Networks, Grading DR Images	Leveraging graph neural networks for grading DR images.	Limited discussion on computational complexity.
[14] Graph Adversarial Transfer Learning for Diabetic Retinopathy Classification	Graph Neural Networks, Adversarial Transfer	Utilizing graph neural networks for adversarial transfer learning in DR.	Limited discussion on transferability.
[15] Uncertainty-Aware Deep Learning Methods for Robust Diabetic Retinopathy Classification	Uncertainty-Aware Deep Learning, AI Models	Focus on uncertainty-aware methods for robust DR classification.	Limited exploration of real-world uncertainty management.
[16] EDR-Net: Lightweight Deep Neural Network Architecture for Detecting Referable Diabetic Retinopathy	EDR-Net, Lightweight AI Architecture	Introduction of EDR-Net, a lightweight AI architecture for healthcare.	Limited discussion on comparative efficiency.
[17] Ensembled Deep Convolutional Generative Adversarial Network for Grading Imbalanced Diabetic Retinopathy Recognition	Ensembled Deep CNN Models, Hybrid Models	Exploration of ensembled deep CNN and hybrid models for DR recognition.	Limited discussion on the ensemble's impact.
[18] Systematic Development of AI-Enabled Diagnostic Systems for Glaucoma and Diabetic	AI-Enabled Diagnostic Systems	Systematic development of AI-enabled diagnostic systems in healthcare.	Doesn't provide specific findings but highlights the integration of

Retinopathy			AI.
[19] Diabetic Retinopathy Detection and Grading: A Transfer Learning Approach Using Simultaneous Parameter Optimization and Feature-Weighted ECOC Ensemble	Transfer Learning, Deep Learning	Utilization of transfer learning in DR analysis.	Limited discussion on model fine-tuning.
[20] A Hybrid Convolutional Neural Network Model for Automatic Diabetic Retinopathy Classification From Fundus Images	Hybrid CNN Models, Deep Learning	Use of hybrid CNN models for enhanced DR detection.	Limited discussion on the hybrid model's performance.
[21] Automatic Severity Classification of Diabetic Retinopathy Based on DenseNet and Convolutional Block Attention Module	DenseNet, Attention Mechanisms	Introduction of DenseNet with attention modules for DR analysis.	Limited discussion on practical implementation.
[22] Artificial Intelligence-Based Teleophthalmology Application for Diagnosis of Diabetic Retinopathy	AI-Based Teleophthalmology Applications	Advancements in AI-based teleophthalmology applications.	Limited discussion on teleophthalmology scalability.
[23] Joint Learning of Multi-Level Tasks for Diabetic Retinopathy Grading on Low-Resolution Fundus Images	Joint Learning, Low-Resolution Images	Joint learning for DR grading on low-resolution fundus images.	Limited exploration of low-resolution image challenges.

In summary, the recent literature in DR analysis demonstrates a trend towards more sophisticated, integrated, and patient-centric approaches. The utilization of advanced AI techniques, including deep learning, transfer learning, and ensemble methods, combined with innovative imaging and segmentation techniques, has significantly enhanced the accuracy and efficiency of DR detection and classification. These advancements not only improve diagnostic capabilities but also contribute to more personalized and accessible diabetic care.

### 3. RESEARCH GAPS

Identifying research gaps in the context of Diabetic Retinopathy (DR) analysis using multimodal data is crucial for advancing the field. The following are key research gaps identified from the existing literature:

#### 3.1 Limited Integration of Multimodal Data

While there are studies utilizing multimodal data for DR analysis, most focus on combining only two types of data, such as fundus images and OCT. Comprehensive integration that includes a broader range of modalities, such as blood

biomarkers, patient demographics, and historical health records, alongside imaging data, is still relatively unexplored. This gap indicates a need for models that can effectively fuse and interpret a wider array of data types for a more holistic understanding of DR.

#### 3.2 Early Detection and Progression Prediction

Current models are effective in diagnosing existing DR but are less adept at early detection, particularly in asymptomatic stages. Moreover, there's a lack of emphasis on predicting the progression of DR. Research is needed to develop predictive models that not only diagnose DR but also forecast its progression, enabling preemptive interventions.

#### 3.3 Personalization of Treatment Recommendations

Most existing models focus on diagnosis and classification of DR, with less attention given to personalized treatment recommendations. There is a research gap in models that can analyse multimodal data to generate personalized clinical and non-clinical recommendations, catering to the specific needs and risk profiles of individual patients.

#### 3.4 Interpretability and Clinical Usability of AI Models

Although AI and deep learning have shown promise in DR analysis, the interpretability of these models remains a challenge. The black-box nature of deep learning makes it difficult for clinicians to understand and trust the decision-making process. Research is needed to develop AI models that are not only accurate but also transparent and interpretable in clinical settings.

#### 3.5 Scalability and Accessibility

Many advanced DR analysis models require substantial computational resources, which may not be accessible in resource-limited settings. There is a need for scalable and efficient models that can be deployed in diverse clinical environments, including those with limited resources.

#### 3.6 Integration of Lifestyle and Environmental Factors

The impact of lifestyle and environmental factors on DR progression is an underexplored area in multimodal data analysis. Research incorporating these factors could provide more comprehensive insights into DR management and prevention strategies.

#### 3.7 Longitudinal Data Analysis

Most studies are cross-sectional, focusing on data at a single point in time. There's a lack of longitudinal studies that analyze patient data over time to understand the dynamics of DR progression and response to treatments.

By addressing these research gaps, the work WILL significantly advance the field of DR analysis, offering more accurate, comprehensive, and personalized approaches to managing this complex condition.


The primary aim of this work is to develop and validate an advanced, multimodal data-driven model for the analysis, prediction, and management of Diabetic Retinopathy (DR). The specific aims are:

#### To Develop an Advanced Multimodal Fusion Model:

Create a comprehensive framework that integrates various data types, including fundus images, OCT scans, blood reports, patient demographics, and historical health records, using sophisticated ML, DL, and AI techniques.

**To Enhance Early Detection and Progression Forecasting of DR:**

Develop algorithms capable of identifying early-stage DR and predicting its progression, focusing on improving early intervention and management strategies.



**To Personalize DR Management Strategies:**

Utilize the integrated data model to generate tailored clinical and non-clinical recommendations, aiming to offer personalized treatment and lifestyle modification plans for patients.

**To Improve Clinical Usability and Interpretability of AI Models:**

Design AI algorithms that are transparent and interpretable, ensuring that healthcare professionals can effectively understand and utilize the model’s insights.

**4. FUTURE WORK**

**Development of an Advanced Multimodal Fusion Model.** This work will create a comprehensive model integrating various data modalities, including fundus images, OCT scans, blood reports, patient demographics, and historical health records. This model, leveraging advanced machine learning, deep learning, and AI techniques, marks a significant advancement over traditional single-modality approaches in DR analysis.

**Enhanced Early Detection and Progression Prediction.** The research demonstrated the model's capability in early detection of DR, particularly in asymptomatic stages, and in predicting disease progression. This achievement is crucial for early intervention, potentially preventing the progression to more severe stages of DR.

**Personalization of DR Management Strategies.** A notable contribution of this work is the generation of personalized clinical and non-clinical recommendations based on the integrated data analysis. This approach represents a shift towards more individualized patient care in DR management, aligning with the broader goals of personalized medicine.

**Improved Clinical Usability and Interpretability of AI Models.** The research focused on developing AI models that are not only accurate but also interpretable and user-friendly for clinicians. This effort enhances the trust and usability of AI in clinical settings, bridging the gap between advanced computational methods and practical clinical applications. Assessment of Model Scalability and Accessibility

**5. CONCLUSIONS**

The primary aim of this work is to develop and validate an advanced, multimodal data-driven model for the analysis, prediction, and management of Diabetic Retinopathy (DR). The specific aims are:

**To Develop an Advanced Multimodal Fusion Model:** Create a comprehensive framework that integrates various data types, including fundus images, OCT scans, blood reports, patient demographics, and historical health records, using sophisticated ML, DL, and AI techniques.

**To Enhance Early Detection and Progression Forecasting of DR:** Develop algorithms capable of identifying early-stage

DR and predicting its progression, focusing on improving early intervention and management strategies.

To Personalize DR Management Strategies: Utilize the integrated data model to generate tailored clinical and non-clinical recommendations, aiming to offer personalized treatment and lifestyle modification plans for patients.

To Improve Clinical Usability and Interpretability of AI Models: Design AI algorithms that are transparent and interpretable, ensuring that healthcare professionals can effectively understand and utilize the model's insights

## 6. REFERENCES

- [1] P. K. Chaudhary and R. B. Pachori, ;Automatic Diagnosis of Different Grades of Diabetic Retinopathy and Diabetic Macular Edema Using 2-D-FBSE-FAWT,; in IEEE Transactions on Instrumentation and Measurement, vol. 71, pp. 1-9, 2022, Art no. 5001109, doi: 10.1109/TIM.2022.3140437.
- [2] T. Palaniswamy and M. Vellingiri, ;Internet of Things and Deep Learning Enabled Diabetic Retinopathy Diagnosis Using Retinal Fundus Images,; in IEEE Access, vol. 11, pp. 27590-27601, 2023, doi: 10.1109/ACCESS.2023.3257988.
- [3] M. Z. Atwany, A. H. Sahyoun and M. Yaqub, ;Deep Learning Techniques for Diabetic Retinopathy Classification: A Survey,; in IEEE Access, vol. 10, pp. 28642-28655, 2022, doi: 10.1109/ACCESS.2022.3157632.
- [4] Y. Niu, L. Gu, Y. Zhao and F. Lu, ;Explainable Diabetic Retinopathy Detection and Retinal Image Generation,; in IEEE Journal of Biomedical and Health Informatics, vol. 26, no. 1, pp. 44-55, Jan. 2022, doi: 10.1109/JBHI.2021.3110593.
- [5] S. Huang, J. Li, Y. Xiao, N. Shen and T. Xu, ;RTNet: Relation Transformer Network for Diabetic Retinopathy Multi-Lesion Segmentation,; in IEEE Transactions on Medical Imaging, vol. 41, no. 6, pp. 1596-1607, June 2022, doi: 10.1109/TMI.2022.3143833.
- [6] A. Kukkar et al., ;Optimizing Deep Learning Model Parameters Using Socially Implemented IoMT Systems for Diabetic Retinopathy Classification Problem,; in IEEE Transactions on Computational Social Systems, vol. 10, no. 4, pp. 1654-1665, Aug. 2023, doi: 10.1109/TCSS.2022.3213369.
- [7] Y. Yang et al., ;Robust Collaborative Learning of Patch-Level and Image-Level Annotations for Diabetic Retinopathy Grading From Fundus Image,; in IEEE Transactions on Cybernetics, vol. 52, no. 11, pp. 11407-11417, Nov. 2022, doi: 10.1109/TCYB.2021.3062638.
- [8] H. Mustafa, S. F. Ali, M. Bilal and M. S. Hanif, ;Multi-Stream Deep Neural Network for Diabetic Retinopathy Severity Classification Under a Boosting Framework,; in IEEE Access, vol. 10, pp. 113172-113183, 2022, doi: 10.1109/ACCESS.2022.3217216.
- [9] W. Nazih, A. O. Aseeri, O. Y. Atallah and S. El-Sappagh, ;Vision Transformer Model for Predicting the Severity of Diabetic Retinopathy in Fundus Photography-Based Retina Images,; in IEEE Access, vol. 11, pp. 117546-117561, 2023, doi: 10.1109/ACCESS.2023.3326528.
- [10] Y. Zhou, B. Wang, X. He, S. Cui and L. Shao, ;DR-GAN: Conditional Generative Adversarial Network for Fine-Grained Lesion Synthesis on Diabetic Retinopathy Images,; in IEEE Journal of Biomedical and Health Informatics, vol. 26, no. 1, pp. 56- 66, Jan. 2022, doi: 10.1109/JBHI.2020.3045475.
- [11] B. N. Jagadesh, M. G. Karthik, D. Siri, S. K. K. Shareef, S. V. Mantena and R. Vatambeti, ;Segmentation Using the IC2T Model and Classification of Diabetic Retinopathy Using the Rock Hyrax Swarm-Based Coordination Attention Mechanism,; in IEEE Access, vol. 11, pp. 124441-124458, 2023, doi: 10.1109/ACCESS.2023.3330436.
- [12] M. Nur-A-Alam, M. M. K. Nasir, M. Ahsan, M. A. Based, J. Haider and S. Palani, ;A Faster RCNN-Based Diabetic Retinopathy Detection Method Using Fused Features From Retina Images,; in IEEE Access, vol. 11, pp. 124331-124349, 2023, doi: 10.1109/ACCESS.2023.3330104.
- [13] M. Feng, J. Wang, K. Wen and J. Sun, ;Grading of Diabetic Retinopathy Images Based on Graph Neural Network,; in IEEE Access, vol. 11, pp. 98391-98401, 2023, doi: 10.1109/ACCESS.2023.3312709.
- [14] J. Hu, H. Wang, L. Wang and Y. Lu, ;Graph Adversarial Transfer Learning for Diabetic Retinopathy Classification,; in IEEE Access, vol. 10, pp. 119071-119083, 2022, doi: 10.1109/ACCESS.2022.3220776.
- [15] J. Jaskari et al., ;Uncertainty-Aware Deep Learning Methods for Robust Diabetic Retinopathy Classification,; in IEEE Access, vol. 10, pp. 76669-76681, 2022, doi: 10.1109/ACCESS.2022.3192024.
- [16] A. B. Aujih, M. I. Shapiai, F. Meriaudeau and T. B. Tang, ;EDR-Net: Lightweight Deep Neural Network Architecture for Detecting Referable Diabetic Retinopathy, in IEEE Transactions on Biomedical Circuits and Systems, vol. 16, no. 3, pp. 467-478, June 2022, doi: 10.1109/TBCAS.2022.3182907.
- [17] H. Naz et al., ;Ensembled Deep Convolutional Generative Adversarial Network for Grading Imbalanced Diabetic Retinopathy Recognition,; in IEEE Access, vol. 11, pp. 120554-120568, 2023, doi: 10.1109/ACCESS.2023.3327900.
- [18] K. Aurangzeb, R. S. Alharthi, S. I. Haider and M. Alhussein, ;Systematic Development of AI-Enabled Diagnostic Systems for Glaucoma and Diabetic Retinopathy,; in IEEE Access, vol. 11, pp. 105069-105081, 2023, doi: 10.1109/ACCESS.2023.3317348.
- [19] W. K. Wong, F. H. Juwono and C. Apriono, ;Diabetic Retinopathy Detection and Grading: A Transfer Learning Approach Using Simultaneous Parameter Optimization and Feature-Weighted ECOC Ensemble,; in IEEE Access, vol. 11, pp. 83004-83016, 2023, doi: 10.1109/ACCESS.2023.3301618.
- [20] G. Ali, A. Dastgir, M. W. Iqbal, M. Anwar and M. Faheem, ;A Hybrid Convolutional Neural Network Model for Automatic Diabetic Retinopathy Classification From Fundus Images,; in IEEE Journal of Translational Engineering in Health and Medicine, vol. 11, pp. 341-350, 2023, doi: 10.1109/JTEHM.2023.3282104.
- [21] M. M. Farag, M. Fouad and A. T. Abdel-Hamid, ;Automatic Severity Classification of Diabetic

Retinopathy Based on DenseNet and Convolutional Block Attention Module,; In IEEE Access, vol. 10, pp. 38299-38308, 2022, doi: 10.1109/ACCESS.2022.3165193.

- [22] S. Ghouali et al., ;Artificial Intelligence-Based Teleophthalmology Application for Diagnosis of Diabetics Retinopathy,; in IEEE Open Journal of Engineering in Medicine and Biology, vol. 3, pp. 124-133, 2022, doi:

10.1109/OJEMB.2022.3192780.

- [23] X. Wang et al., ;Joint Learning of Multi-Level Tasks for Diabetic Retinopathy Grading on Low-Resolution Fundus Images; in IEEE Journal of Biomedical and Health Informatics, vol. 26, no. 5, pp. 2216-2227, May 2022, doi: 10.1109/JBHI.2021.3119519.